

KEPLER'S LAWS: DETERMINE TRAPPIST-1'S HABITABLE ZONE





TASK 1: REARRANGE KEPLER'S 3RD LAW

You will be using Kepler's 3rd Law to find the orbital distance for each of the exoplanets in the TRAPPIST-1 system.

Rearrange the equation to make a³ the subject.

$$T^2 = \frac{4\pi^2}{GM}a^3$$

T =orbital period (s)

a = semi-major axis (m)

G = gravitational constant ($G = 6.67 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{s}^{-2}$)

 $M = \text{mass of the star TRAPPIST-1 } (M = 1.72 \times 10^{29} \text{ kg})$

In this case, the semi-major axis (a) is also the orbital distance as we are assuming an eccentricity of 0.

$$a^{3} =$$



KEPLER'S LAWS: DETERMINE TRAPPIST-1'S PROUD TO BE PART OF LIVERPOOL **HABITABLE ZONE**





TASK 2: CALCULATE THE ORBITAL DISTANCES

Work out the value of a³ based on the orbital period of each of the exoplanets in the TRAPPIST-1 system (data is given in the data table).

Cube root each answer to find a, the orbital distance, in metres (m).

Lastly, convert each answer into Astronomical Units (AU).

- $1 \text{ AU} = 1.5 \times 10^{11} \text{ m}$
- Express your value of a to 3 significant figures

Exoplanet	a³ (m³)	a (m)	a (AU)
TRAPPIST-1b			
TRAPPIST-1c			
TRAPPIST-1d			
TRAPPIST-1e			
TRAPPIST-1f			
TRAPPIST-1g			
TRAPPIST-1h			

Why might these values differ from the true orbital distance of each exoplanet?



KEPLER'S LAWS: DETERMINE TRAPPIST-1'S HABITABLE ZONE





TASK 3: FIND THE HABITABLE ZONE OF TRAPPIST-1

The equations below can be used to calculate the minimum and maximum distance (d_{min} and d_{max}) from the TRAPPIST-1 star where liquid water could potentially exist.

They give d in units of AU.

Use the value of L_{star} given below the equations to work out these distances.

• Express your answers to 3 significant figures

$$d_{min} = \sqrt{\frac{L_{Star}}{0.9}} \qquad d_{max} = \sqrt{\frac{L_{Star}}{0.23}}$$

 L_{Star} = Luminosity of the star TRAPPIST-1 in solar luminosities (L_{Star} = 0.000522 L_{\odot})

$$d_{min} =$$

$$d_{max} =$$

Note: the constants (0.9 and 0.23) in each equation assumes the exoplanets have an atmosphere like Earth's and that their surfaces reflect the same amount of light.

There is also the assumption that the star TRAPPIST-1 is similar to the Sun.

The difference between the constants comes from d_{min} using a temperature of the boiling point of water and d_{max} using a temperature of the freezing point of water.



KEPLER'S LAWS: DETERMINE TRAPPIST-1'S PROUD TO BE PART OF LIVER POOL OF **HABITABLE ZONE**





TASK 4: DETERMINE WHICH EXOPLANETS ARE HABITABLE

The minimum and maximum distances (d_{min} and d_{max}) give the inner and outer edges of TRAPPIST-1's habitable zone.

Look at the orbital distance of each exoplanet.			
Which exoplanets in the TRAPPIST-1 system fall within the habitable zone?			
Why might these exoplanets not have liquid water on them despite being in the habitable zone?			